



Generally we do not recommend alternating Acetaminophen and Ibuprofen

Acetaminophen (Tylenol) Dosing for Infants and Children

May be given every 4 to 6 hours; maximum 5 times in 24 hours

WARNING: Infant Drops must use the dropper provided to avoid risk of OVERDOSE

Weight (pounds)	Weight (kg)	Dose (mg)	Infant Suspension (160 mg/5 ml)	Children's Suspension (160 mg/5 ml)	Children's Tablets (80 mg each)	Jr. Strength Tablets (160 mg each)	Adult (325 mg each)
6 to 12 lbs	3 to 5 kg	40 mg	1.25 ml	1.25 ml			
12 to 18 lbs	5 to 8 kg	80 mg	2.50 ml	2.50 ml			
18 to 24 lbs	8 to 11 kg	120 mg	3.75 ml	3.75 ml			
24 to 36 lbs	11 to 16 kg	160 mg	5.0 ml	5.0 ml	2 tablets	1 tablet	
36 to 48 lbs	16 to 22 kg	240 mg	7.5 ml	7.5 ml	3 tablets	1-1/2 tablets	
48 to 60 lbs	22 to 27 kg	320 mg		10.0 ml	4 tablets	2 tablets	
60 to 72 lbs	27 to 33 kg	400 mg		12.5 ml	5 tablets	2-1/2 tablets	
72 to 95 lbs	33 to 43 kg	480 mg		15.0 ml	6 tablets	3 tablets	
95-150 lbs	43 to 68 kg	640 mg		20.0 ml	8 tablets	4 tablets	2
Over 150 lbs	Over 68 kg	960 mg			12 tablets	6 tablets	3

Ibuprofen (Motrin or Advil) Dosing for Infants and Children

May be given every 6 to 8 hours; maximum of 4 times in 24 hours.

*Not recommended for infants under 12 lbs (6 kg) or those under 6 months of age
OR people with dehydration*

WARNING: Infant Drops must use the dropper provided to avoid risk of OVERDOSE

Weight (pounds)	Weight (kg)	Dose (mg)	Infant Drops (50 mg/1.25 ml)	Children's Suspension (100 mg/5 ml)	Children's Chewables (50 mg each)	Jr. Strength Tablets (100 mg each)	Adult (200 mg each)
11 to 16 lbs	5 to 7 kg	50 mg	1.25 ml	2.50 ml			
16 to 22 lbs	7 to 10 kg	75 mg	1.875 ml	3.75 ml			
22 to 28 lbs	10 to 13 kg	100 mg	2.50 ml	5.0 ml	2 tablets	1 tablet	
28 to 33 lbs	13 to 15 kg	125 mg		6.25 ml	2-1/2 tablets	1-1/2 tablets	
33 to 44 lbs	15 to 20 kg	150 mg		7.5 ml	3 tablets	2 tablets	
44 to 88 lbs	20 to 40 kg	200 mg		10.0 ml	4 tablets	2-1/2 tablets	1
88 to 130 lbs	20 to 59 kg	400 mg		20.0 ml	8 tablets	3 tablets	2
Over 130 lbs	Over 59 kg	400 mg		20.0 ml	8 tablets	4 tablets	2



Dosis De Acetaminofen (Tylenol o marca generica)

Puede ser dado cada 4-6 horas; maximo 5 veces en 24 horas

Peso (lbs)	Peso (kg)	Dosis	Infant Suspension (160 mg/5 ml)	Children's Suspension (160 mg/5 ml)	Children's Meltaways (80 mg each)	Jr. Tylenol Meltaways (160 mg each)	Adult (325 mg each)
6 to 12 lbs	3 to 5 kg	40 mg	1.25 ml	1.25 ml			
12 to 18 lbs	5 to 8 kg	80 mg	2.5 ml	2.5 ml	1 tablet		
18 to 24 lbs	8 to 11 kg	120 mg	3.75 ml	3.75 ml			
24 to 36 lbs	11 to 16 kg	160 mg	5.0 ml	5.0 ml	2 tablets	1 tablet	
36 to 48 lbs	16 to 22 kg	240 mg	7.5ml	7.5 ml	3 tablets	1-1/2 tablets	
48 to 60 lbs	22 to 27 kg	320 mg		10 ml	4 tablets	2 tablets	
60 to 72 lbs	27 to 33 kg	400 mg		12.5 ml	5 tablets	2-1/2 tablets	
72 to 95 lbs	33 to 43 kg	480 mg		15.0 ml	6 tablets	3 tablets	
95 to 150 lbs	43 to 68 kg	640 mg		20.0 ml	8 tablets	4 tablets	2 tablets
Sobre 150 lbs	Sobre 68 kg	975 mg			12 tablets	6 tablets	3 tablets

DOSIS DE IBUPROFEN (Children's Advil or Motrin, or marca generica)

Puede ser dado cada 6-8 horas; maximo 4 veces en 24 horas

Peso (lbs)	Peso (kg)	Dosis	Infant Drops "Gotas" (40 mg/1 ml)	Children's Suspension (100 mg/5 ml)	Children's Chewables (50 mg each)	Jr. Strength Chewables (100 mg each)	Adult (200 mg each)
			(No cambie de gotero o taza de una concentracion a otra)		(Por favor note los diferentes tamanos de tableta)		
IBUPROFEN NO ES RECOMENDADO PARA NINOS MENORES DE 6 MESES DED EDAD O PERSONAS CON DESHIDRATACION							
11 to 16 lbs	5 to 7 kg	50 mg	1.25 ml	2.5 ml			
16 to 22 lbs	7 to 10 kg	75 mg	1.875 ml	3.75 ml			
22 to 28 lbs	10 to 13 kg	100 mg	2.5 ml	5.0 ml	2 tablets	1 tablet	
28 to 33 lbs	13 to 15 kg	125 mg		6.25 ml	2-1/2 tablets	1-1/2 tablets	
33 to 44 lbs	15 to 20 kg	150 mg		7.5 ml	3 tablets	2 tablets	
44 to 88 lbs	20 to 40 kg	200 mg		10.0 ml	4 tablets	2-1/2 tablets	1 tablet
88 to 130 lbs	40 to 59 kg	300 mg		15.0 ml	6 tablets	3 tablets	
Sobre 130 lbs	Sobre 59 kg	400 mg		20.0 ml	8 tablets	4 tablets	2 tablets